



[7590-01-P]

## NUCLEAR REGULATORY COMMISSION

[NRC-2018-0227]

### **Applications and Amendments to Facility Operating Licenses and Combined Licenses Involving Proposed No Significant Hazards Considerations and Containing Sensitive Unclassified Non-Safeguards Information and Order Imposing Procedures for Access to Sensitive Unclassified Non-Safeguards Information**

**AGENCY:** Nuclear Regulatory Commission.

**ACTION:** License amendment request; notice of opportunity to comment, request a hearing, and petition for leave to intervene; order imposing procedures.

**SUMMARY:** The U.S. Nuclear Regulatory Commission (NRC) received and is considering approval of two amendment requests. The amendment requests are for both Peach Bottom Atomic Power Station, Unit Nos. 2 and 3. For each amendment request, the NRC proposes to determine that they involve no significant hazards consideration. Because each amendment request contains sensitive unclassified non-safeguards information (SUNSI) an order imposes procedures to obtain access to SUNSI for contention preparation.

**DATES:** Comments must be filed by [INSERT DATE 30 DAYS AFTER DATE OF PUBLICATION IN THE *FEDERAL REGISTER*]. A request for a hearing must be filed by [INSERT DATE 60 DAYS AFTER DATE OF PUBLICATION IN THE *FEDERAL REGISTER*]. Any potential party as defined in Section 2.4 of title 10 of the *Code of Federal Regulations* (10 CFR), who believes access to SUNSI is necessary to respond

to this notice must request document access by [INSERT DATE 10 DAYS AFTER DATE OF PUBLICATION IN THE *FEDERAL REGISTER*].

**ADDRESSES:** You may submit comments by any of the following methods:

- **Federal Rulemaking Web Site:** Go to <http://www.regulations.gov> and search for Docket ID **NRC-2018-0227**. Address questions about Docket IDs in Regulations.gov to Jennifer Borges; telephone: 301-287-9127; e-mail: [Jennifer.Borges@nrc.gov](mailto:Jennifer.Borges@nrc.gov). For technical questions, contact the individual listed in the

**FOR FURTHER INFORMATION CONTACT** section of this document.

- **Mail comments to:** May Ma, Office of Administration, Mail Stop: TWFN-7-A60M, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001.

For additional direction on obtaining information and submitting comments, see “Obtaining Information and Submitting Comments” in the **SUPPLEMENTARY INFORMATION** section of this document.

**FOR FURTHER INFORMATION CONTACT:** Kay Goldstein, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington DC 20555-0001; telephone: 301- 415-1506, e-mail: [Kay.Goldstein@nrc.gov](mailto:Kay.Goldstein@nrc.gov).

**SUPPLEMENTARY INFORMATION:**

## **I. Obtaining Information and Submitting Comments**

### **A. Obtaining Information**

Please refer to Docket ID NRC-2018-0227, facility name, unit number(s), plant docket number, application date, and subject when contacting the NRC about the

availability of information for this action. You may obtain publicly-available information related to this action by any of the following methods:

- **Federal Rulemaking Web Site:** Go to <http://www.regulations.gov> and search for Docket ID NRC-2018-0227.

- **NRC's Agencywide Documents Access and Management System (ADAMS):** You may obtain publicly-available documents online in the ADAMS Public Documents collection at <http://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, 301-415-4737, or by e-mail to [pdr.resource@nrc.gov](mailto:pdr.resource@nrc.gov). The ADAMS accession number for each document referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document.

- **NRC's PDR:** You may examine and purchase copies of public documents at the NRC's PDR, Room O1-F21, One White Flint North, 11555 Rockville Pike, Rockville, Maryland 20852.

#### B. Submitting Comments

Please include Docket ID NRC-2018-0227, facility name, unit number(s), plant docket number, application date, and subject in your comment submission.

The NRC cautions you not to include identifying or contact information that you do not want to be publicly disclosed in your comment submission. The NRC will post all comment submissions at <http://www.regulations.gov> as well as enter the comment submissions into ADAMS. The NRC does not routinely edit comment submissions to remove identifying or contact information.

If you are requesting or aggregating comments from other persons for submission to the NRC, then you should inform those persons not to include identifying or contact information that they do not want to be publicly disclosed in their comment submission. Your request should state that the NRC does not routinely edit comment submissions to remove such information before making the comment submissions available to the public or entering the comment into ADAMS.

## **II. Background**

Pursuant to Section 189a.(2) of the Atomic Energy Act of 1954, as amended (the Act), the NRC is publishing this notice. The Act requires the Commission to publish notice of any amendments issued, or proposed to be issued and grants the Commission the authority to issue and make immediately effective any amendment to an operating license or combined license, as applicable, upon a determination by the Commission that such amendment involves no significant hazards consideration, notwithstanding the pendency before the Commission of a request for a hearing from any person.

This notice includes notices of amendments containing SUNSI.

## **III. Notice of Consideration of Issuance of Amendments to Facility Operating Licenses and Combined Licenses, Proposed No Significant Hazards Consideration Determination, and Opportunity for a Hearing**

The Commission has made a proposed determination that the following amendment requests involve no significant hazards consideration. Under the Commission's regulations in 10 CFR 50.92, this means that operation of the facility in accordance with the proposed amendment would not (1) involve a significant increase in the probability or consequences of an accident previously evaluated, or (2) create the possibility of a new or different kind of accident from any accident previously evaluated,

or (3) involve a significant reduction in a margin of safety. The basis for this proposed determination for each amendment request is shown below.

The Commission is seeking public comments on this proposed determination. Any comments received within 30 days after the date of publication of this notice will be considered in making any final determination.

Normally, the Commission will not issue the amendment until the expiration of 60 days after the date of publication of this notice. The Commission may issue the license amendment before expiration of the 60-day period provided that its final determination is that the amendment involves no significant hazards consideration. In addition, the Commission may issue the amendment prior to the expiration of the 30-day comment period if circumstances change during the 30-day comment period such that failure to act in a timely way would result, for example, in derating or shutdown of the facility. If the Commission takes action prior to the expiration of either the comment period or the notice period, it will publish a notice of issuance in the *Federal Register*. If the Commission makes a final no significant hazards consideration determination, any hearing will take place after issuance. The Commission expects that the need to take this action will occur very infrequently.

#### **A. Opportunity to Request a Hearing and Petition for Leave to Intervene**

Within 60 days after the date of publication of this notice, any persons (petitioner) whose interest may be affected by this action may file a request for a hearing and petition for leave to intervene (petition) with respect to the action. Petitions shall be filed in accordance with the Commission's "Agency Rules of Practice and Procedure" in 10 CFR part 2. Interested persons should consult a current copy of 10 CFR 2.309. The NRC's regulations are accessible electronically from the NRC Library on the NRC's Web

site at <http://www.nrc.gov/reading-rm/doc-collections/cfr/>. Alternatively, a copy of the regulations is available at the NRC's Public Document Room, located at One White Flint North, Room O1-F21, 11555 Rockville Pike (first floor), Rockville, Maryland 20852. If a petition is filed, the Commission or a presiding officer will rule on the petition and, if appropriate, a notice of a hearing will be issued.

As required by 10 CFR 2.309(d) the petition should specifically explain the reasons why intervention should be permitted with particular reference to the following general requirements for standing: (1) the name, address, and telephone number of the petitioner; (2) the nature of the petitioner's right under the Act to be made a party to the proceeding; (3) the nature and extent of the petitioner's property, financial, or other interest in the proceeding; and (4) the possible effect of any decision or order which may be entered in the proceeding on the petitioner's interest.

In accordance with 10 CFR 2.309(f), the petition must also set forth the specific contentions which the petitioner seeks to have litigated in the proceeding. Each contention must consist of a specific statement of the issue of law or fact to be raised or controverted. In addition, the petitioner must provide a brief explanation of the bases for the contention and a concise statement of the alleged facts or expert opinion which support the contention and on which the petitioner intends to rely in proving the contention at the hearing. The petitioner must also provide references to the specific sources and documents on which the petitioner intends to rely to support its position on the issue. The petition must include sufficient information to show that a genuine dispute exists with the applicant or licensee on a material issue of law or fact. Contentions must be limited to matters within the scope of the proceeding. The contention must be one which, if proven, would entitle the petitioner to relief. A petitioner who fails to satisfy the

requirements at 10 CFR 2.309(f) with respect to at least one contention will not be permitted to participate as a party.

Those permitted to intervene become parties to the proceeding, subject to any limitations in the order granting leave to intervene. Parties have the opportunity to participate fully in the conduct of the hearing with respect to resolution of that party's admitted contentions, including the opportunity to present evidence, consistent with the NRC's regulations, policies, and procedures.

Petitions must be filed no later than 60 days from the date of publication of this notice. Petitions and motions for leave to file new or amended contentions that are filed after the deadline will not be entertained absent a determination by the presiding officer that the filing demonstrates good cause by satisfying the three factors in 10 CFR 2.309(c)(1)(i) through (iii). The petition must be filed in accordance with the filing instructions in the "Electronic Submissions (E-Filing)" section of this document.

If a hearing is requested, and the Commission has not made a final determination on the issue of no significant hazards consideration, the Commission will make a final determination on the issue of no significant hazards consideration. The final determination will serve to establish when the hearing is held. If the final determination is that the amendment request involves no significant hazards consideration, the Commission may issue the amendment and make it immediately effective, notwithstanding the request for a hearing. Any hearing would take place after issuance of the amendment. If the final determination is that the amendment request involves a significant hazards consideration, then any hearing held would take place before the issuance of the amendment unless the Commission finds an imminent danger to the health or safety of the public, in which case it will issue an appropriate order or rule under 10 CFR part 2.

A State, local governmental body, Federally-recognized Indian Tribe, or agency thereof, may submit a petition to the Commission to participate as a party under 10 CFR 2.309(h)(1). The petition should state the nature and extent of the petitioner's interest in the proceeding. The petition should be submitted to the Commission no later than 60 days from the date of publication of this notice. The petition must be filed in accordance with the filing instructions in the "Electronic Submissions (E-Filing)" section of this document, and should meet the requirements for petitions set forth in this section, except that under 10 CFR 2.309(h)(2) a State, local governmental body, or Federally-recognized Indian Tribe, or agency thereof does not need to address the standing requirements in 10 CFR 2.309(d) if the facility is located within its boundaries. Alternatively, a State, local governmental body, Federally-recognized Indian Tribe, or agency thereof may participate as a non-party under 10 CFR 2.315(c).

If a hearing is granted, any person who is not a party to the proceeding and is not affiliated with or represented by a party may, at the discretion of the presiding officer, be permitted to make a limited appearance pursuant to the provisions of 10 CFR 2.315(a). A person making a limited appearance may make an oral or written statement of his or her position on the issues but may not otherwise participate in the proceeding. A limited appearance may be made at any session of the hearing or at any prehearing conference, subject to the limits and conditions as may be imposed by the presiding officer. Details regarding the opportunity to make a limited appearance will be provided by the presiding officer if such sessions are scheduled.

#### **B. Electronic Submissions (E-Filing)**

All documents filed in NRC adjudicatory proceedings, including a request for hearing and petition for leave to intervene (petition), any motion or other document filed in the proceeding prior to the submission of a request for hearing or petition to intervene,



and documents filed by interested governmental entities that request to participate under 10 CFR 2.315(c), must be filed in accordance with the NRC's E-Filing rule (72 FR 49139; August 28, 2007, as amended at 77 FR 46562; August 3, 2012). The E-Filing process requires participants to submit and serve all adjudicatory documents over the internet, or in some cases to mail copies on electronic storage media. Detailed guidance on making electronic submissions may be found in the Guidance for Electronic Submissions to the NRC and on the NRC Web site at <http://www.nrc.gov/site-help/e-submittals.html>. Participants may not submit paper copies of their filings unless they seek an exemption in accordance with the procedures described below.

To comply with the procedural requirements of E-Filing, at least 10 days prior to the filing deadline, the participant should contact the Office of the Secretary by e-mail at [hearing.docket@nrc.gov](mailto:hearing.docket@nrc.gov), or by telephone at 301-415-1677, to (1) request a digital identification (ID) certificate, which allows the participant (or its counsel or representative) to digitally sign submissions and access the E-Filing system for any proceeding in which it is participating; and (2) advise the Secretary that the participant will be submitting a petition or other adjudicatory document (even in instances in which the participant, or its counsel or representative, already holds an NRC-issued digital ID certificate). Based upon this information, the Secretary will establish an electronic docket for the hearing in this proceeding if the Secretary has not already established an electronic docket.

Information about applying for a digital ID certificate is available on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals/getting-started.html>. Once a participant has obtained a digital ID certificate and a docket has been created, the participant can then submit adjudicatory documents. Submissions must be in Portable Document Format (PDF). Additional guidance on PDF submissions is available on the

NRC's public Web site at <http://www.nrc.gov/site-help/electronic-sub-ref-mat.html>. A filing is considered complete at the time the document is submitted through the NRC's E-Filing system. To be timely, an electronic filing must be submitted to the E-Filing system no later than 11:59 p.m. Eastern Time on the due date. Upon receipt of a transmission, the E-Filing system time-stamps the document and sends the submitter an e-mail notice confirming receipt of the document. The E-Filing system also distributes an e-mail notice that provides access to the document to the NRC's Office of the General Counsel and any others who have advised the Office of the Secretary that they wish to participate in the proceeding, so that the filer need not serve the document on those participants separately. Therefore, applicants and other participants (or their counsel or representative) must apply for and receive a digital ID certificate before adjudicatory documents are filed so that they can obtain access to the documents via the E-Filing system.

A person filing electronically using the NRC's adjudicatory E-Filing system may seek assistance by contacting the NRC's Electronic Filing Help Desk through the "Contact Us" link located on the NRC's public Web site at <http://www.nrc.gov/site-help/e-submittals.html>, by e-mail to [MSHD.Resource@nrc.gov](mailto:MSHD.Resource@nrc.gov), or by a toll-free call at 1-866-672-7640. The NRC Electronic Filing Help Desk is available between 9 a.m. and 6 p.m., Eastern Time, Monday through Friday, excluding government holidays.

Participants who believe that they have a good cause for not submitting documents electronically must file an exemption request, in accordance with 10 CFR 2.302(g), with their initial paper filing stating why there is good cause for not filing electronically and requesting authorization to continue to submit documents in paper format. Such filings must be submitted by: (1) first class mail addressed to the Office of the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC 20555-

0001, Attention: Rulemaking and Adjudications Staff; or (2) courier, express mail, or expedited delivery service to the Office of the Secretary, 11555 Rockville Pike, Rockville, Maryland 20852, Attention: Rulemaking and Adjudications Staff. Participants filing adjudicatory documents in this manner are responsible for serving the document on all other participants. Filing is considered complete by first-class mail as of the time of deposit in the mail, or by courier, express mail, or expedited delivery service upon depositing the document with the provider of the service. A presiding officer, having granted an exemption request from using E-Filing, may require a participant or party to use E-Filing if the presiding officer subsequently determines that the reason for granting the exemption from use of E-Filing no longer exists.

Documents submitted in adjudicatory proceedings will appear in the NRC's electronic hearing docket which is available to the public at <https://adams.nrc.gov/ehd>, unless excluded pursuant to an order of the Commission or the presiding officer. If you do not have an NRC-issued digital ID certificate as described above, click cancel when the link requests certificates and you will be automatically directed to the NRC's electronic hearing dockets where you will be able to access any publicly available documents in a particular hearing docket. Participants are requested not to include personal privacy information, such as social security numbers, home addresses, or personal phone numbers in their filings, unless an NRC regulation or other law requires submission of such information. For example, in some instances, individuals provide home addresses in order to demonstrate proximity to a facility or site. With respect to copyrighted works, except for limited excerpts that serve the purpose of the adjudicatory filings and would constitute a Fair Use application, participants are requested not to include copyrighted materials in their submission.

Exelon Generation Company, LLC, Docket Nos. 50-277 and 50-278, Peach Bottom

Atomic Power Station (PBAPS), Unit Nos. 2 and 3, York County, Pennsylvania

Date of amendment request: May 30, 2018. A publicly-available version is in ADAMS under Accession No. ML18150A387.

Description of amendment request: **This amendment request contains sensitive unclassified non-safeguards information (SUNSI).** The amendments would revise the Technical Specifications (TSs) to allow continued operation with two safety relief valves/safety valves (SRVs/SVs) out-of-service (OOS) and to increase the reactor coolant system pressure safety limit. The proposed changes are based on taking credit for the additional SV that was installed on each unit per the Extended Power Uprate amendments for PBAPS Unit 2 and Unit 3, dated March 21, 2016 (ADAMS Accession No. ML16034A372), and a re-evaluation of the transient pressure analysis at the current licensed thermal power authorized by the Measurement Uncertainty Recapture uprate amendments dated November 15, 2017 (ADAMS Accession No. ML17286A013).

Basis for proposed no significant hazards consideration determination: As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below:

1. Does the proposed change involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

The proposed change would revise TS Section 3.4.3 to lower the required number of operable Safety Relief Valves (SRVs) and Safety Valves (SVs) from a total of 13 to 12, and raise the Reactor Coolant System (RCS) Safety Limit (SL) from 1,325 to 1,340 psig [pounds per square inch gauge]. Analysis confirms that raising the number of out-of-service SRVs/SVs from one to two does not have an adverse impact on 1) the overpressure protection for the reactor pressure vessel [RPV], 2) the ability of High Pressure Coolant Injection (HPCI), Reactor Core Isolation Cooling (RCIC), Standby Liquid Control (SLC) and Control Rod Drive (CRD) safety

systems to perform their design basis requirements, and (3) the Emergency Core Cooling System (ECCS) Loss of Coolant Accident (LOCA) analysis. The analysis also confirms that for the peak vessel pressure in the overpressure event, there is still over 20 psi [pounds per square inch] margin to the American Society of Mechanical Engineer[s] (ASME) code overpressure limit. This margin also includes the penalty due to the TRACG statistical pressure adder required to be included in the analysis results, thereby providing additional analytical margin. Raising the dome pressure safety limit by 15 psi from 1,325 to 1,340 psig [pounds per square inch gauge] still provides sufficient margin (approximately 5 psi) for the peak pressure vessel pressure and thus continues to support the ASME code overpressure limit requirements. Compliance with the ASME upset code requirements for vessel overpressure protection is still ensured with this change to the dome pressure safety limit (1,340 psig) to support operation with two SRVOOS.

This analysis covers the plant response to the design basis accidents, Anticipated Operational Occurrence (AOO) events and Special Events. The proposed change does not require any new or unusual operator actions. The proposed change does not introduce any new failure modes that could result in a new or different accident. The SRVs and SVs are not being modified or operated differently and will continue to operate to meet the design basis requirements for RPV overpressure protection. The proposed change does not alter the manner in which the RPV overpressure protection system is operated and functions and thus, there is no significant impact on reactor operation. There is no change being made to safety limits or limiting safety system settings that would adversely affect plant safety as a result of the proposed change.

For PBAPS, the limiting overpressure AOO event is the main steam isolation valve closure with scram on high flux (MSIVF). The PBAPS ATWS [Anticipated Transient Without Scram] Special Event analysis considered the limiting cases for RPV overpressure and is analyzed under two cases: 1) Main Steam Isolation Valve Closure (MSIVC) and 2) Pressure Regulator Failure Open (PRFO). These events were analyzed under the proposed conditions and it was confirmed that the existing analyses remain bounding for the condition of adding a second SRV/SV Out-of-Service.

Therefore, the proposed change does not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed change create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

The proposed change would revise TS Section 3.4.3 to lower the required number of operable SRVs and SVs from a total of 13 to 12, and raise the RCS SL from 1,325 to 1,340 psig. The RPV overpressure protection capability of the 12 operable SRVs and SVs is adequate to ensure the ASME code allowable peak pressure limits are not exceeded. The SRVs and SVs are not being modified or operated differently and will continue to operate to meet the design basis requirements for RPV overpressure protection. The proposed change does not introduce any new failure modes that could result in a new or different accident. The proposed change does not alter the manner in which the RPV overpressure protection system is operated and functions and thus, there is no new failure mechanisms for the overpressure protection system. The plant response to the design basis accidents, AOO events and Special Events remains bounded by existing analyses. These events were analyzed under the proposed conditions and it was confirmed that the existing analyses remain bounding for the condition of adding a second SRV/SV Out-of-Service at the current licensed thermal power.

Therefore, the proposed change does not create the possibility of a new or different kind of accident from any accident previously evaluated.

3. Does the proposed involve a significant reduction in a margin of safety?

Response: No.

The margin of safety is established through the design of the plant structures, systems and components, the parameters within which the plant is operated, and the establishment of setpoints for the actuation of equipment relied upon to respond to an event. The proposed change does not change the setpoints at which the protective actions are initiated. The proposed change would revise TS Section 3.4.3 to lower the required number of operable SRVs and SVs and raise the RCS SL from 1,325 to 1,340 psig. The RPV overpressure protection capability of the 12 operable SRVs and SVs is adequate to ensure the ASME code allowable peak pressure limits are not exceeded. The plant response to the design basis accidents, AOO events and Special Events remains bounded by existing analyses. These events were analyzed under the proposed conditions and it was confirmed that for the peak vessel pressure in the overpressure event, there is still over

20 psi margin to the American Society of Mechanical Engineer (ASME) code overpressure limit. This margin also includes the penalty due to the TRACG statistical pressure adder required to be included in the analysis results, thereby providing additional analytical margin. Raising the dome pressure safety limit by 15 psi from 1,325 to 1,340 psig still provides sufficient margin for the peak pressure vessel pressure and thus continues to support the ASME code overpressure limit requirements. Compliance with the ASME upset code requirements for vessel overpressure protection is still ensured with this change to the dome pressure safety limit (1,340 psig) to support operation with two SRVOOS.

Therefore, the proposed change does not involve a significant reduction in a margin of safety.

From the above analysis, the licensee concluded that the proposed amendment presents no significant hazards consideration under the standards set forth in 10 CFR 50.92(c)(1)-(3), and accordingly, a finding of "no significant hazards consideration" is justified.

The NRC staff reviewed the licensee's analysis of 10 CFR 50.92(c)(1)-(3). Concerning the standard in 50.92(c)(3) (concerning whether a proposed amendment would involve a significant reduction in a margin of safety), the NRC staff elected to use its own analysis in place of the licensee's. The staff's analysis of 50.92(c)(3) is below. The margin of safety is established through (1) the establishment of setpoints for the actuation of equipment relied upon to respond to an event, (2) the design of the plant structures, systems, and components, and (3) the parameters within which the plant is operated. The proposed change does not change the setpoints at which the protective actions are initiated. The proposed design change to lower the required number of operable SRVs and SVs does not significantly reduce the margin of safety because the RPV overpressure protection capability of the 12 operable SRVs and SVs is adequate to ensure the ASME code allowable peak pressure limits are not exceeded.

The plant response to the design basis accidents, AAOs, and Special Events remains bounded by existing analyses.

These events were analyzed under the proposed conditions and it was confirmed that for the peak vessel pressure in the overpressure event, there is still over 20 psi margin before reaching the ASME code overpressure limit. The proposed increase of the dome pressure safety limit from 1,325 to 1,340 psig still provides sufficient margin for the allowed peak vessel pressure and, therefore, continues to support the ASME code overpressure limit requirements.

Compliance with the ASME code requirements for upset conditions of vessel overpressure protection is still ensured with this change to the dome pressure safety limit to support operation with two SRVs out of service.

Therefore, because the proposed change does not affect the setpoints at which equipment relied upon to respond to an event, and the design changes and plant parameters do not exceed the ASME code allowable pressure limits, the change does not “[i]nvolve a significant reduction in a margin of safety” under 10 CFR 50.92(c)(3).

Based on its review of the licensee’s analysis, and on the NRC staff’s additional analysis of 50.92(c)(3), it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: J. Bradley Fewell, Esquire, Vice President and Deputy General Counsel, Exelon Generation Company, LLC, 200 Exelon Way, Kennett Square, Pennsylvania 19348.

NRC Branch Chief: James G. Danna.

Exelon Generation Company, LLC, Docket Nos. 50-277 and 50-278, Peach Bottom Atomic Power Station, Units 2 and 3, York County, Pennsylvania



Date of amendment request: August 27, 2018. A publicly-available version is in ADAMS under Accession No. ML18239A355.

Description of amendment request: **This amendment request contains sensitive unclassified non-safeguards information (SUNSI).** The amendments would revise the Technical Specifications to support the proposed compensatory measures for operation of the Leading Edge Flow Meter (LEFM) system at three separate intermediate power levels for an indefinite period when the mass flow input to the core thermal power calculation is from one, two, or three feedwater lines in check mode with none in fail mode, and a fourth intermediate power level when not more than one LEFM is in fail mode, and flow measurement is being provided by the associated feedwater flow nozzle. The proposed changes would allow operation at power levels commensurate with the uncertainties in the measurement of core thermal power (CTP) and reduce the magnitude of the required reactivity maneuver and plant power level change for degradation of the LEFM system.

Basis for proposed no significant hazards consideration determination: As required by 10 CFR 50.91(a), the licensee has provided its analysis of the issue of no significant hazards consideration, which is presented below, with NRC edits in square brackets:

1. Does the proposed change involve a significant increase in the probability or consequences of an accident previously evaluated?

Response: No.

[T]he proposed change does not significantly increase the probability or consequences of an accident previously evaluated.

The proposed change does not affect system design or operation and thus does not create any new accident initiators or increase the probability of an accident previously evaluated. Accident mitigation systems are not affected and will function as designed.

The proposed change does not increase the licensed thermal power level and will not cause the thermal power level at which

the ECCS have been analyzed in accordance with Appendix K to 10 CFR 50 to be exceeded. All safety analyses continue to be bounded by the safety analyses for the current licensed thermal power.

Therefore, the proposed change does not involve a significant increase in the probability or consequences of an accident previously evaluated.

2. Does the proposed change create the possibility of a new or different kind of accident from any accident previously evaluated?

Response: No.

[T]he proposed change does not create the possibility of a new or different kind of accident from any accident previously evaluated.

No new accident scenarios, failure mechanisms, or limiting single failures are introduced as a result of operation at power levels based on the uncertainties in the calculation of CTP for the stated LEFM system conditions. Calculation of the uncertainty associated with these plant conditions as well as existing plant instrumentation and procedures ensure that the licensed thermal power and the thermal power level at which the ECCS have been analyzed in accordance with Appendix K to 10 CFR 50 will not be exceeded. No new equipment or procedure changes are involved that could add new accident initiators.

Therefore, the proposed change does not create the possibility of a new or different kind of accident from any accident previously evaluated.

3. Does the proposed change involve a significant reduction in a margin of safety?

Response: No.

[T]he proposed change does not involve a significant reduction in a margin of safety.

Operation at power levels based on the uncertainties in the calculation of CTP for the stated LEFM system conditions does not involve a significant reduction in a margin of safety. Calculation of the uncertainties associated with the measurement of core thermal power for these plant conditions as well as existing plant instrumentation and procedures ensure that the licensed thermal power and the thermal power level at which the ECCS have been analyzed in accordance with Appendix K to 10 CFR 50 will not be exceeded.

Therefore, the proposed change does not involve a significant reduction in a margin of safety.

The NRC staff has reviewed the licensee's analysis and, based on this review, it appears that the three standards of 10 CFR 50.92(c) are satisfied. Therefore, the NRC staff proposes to determine that the amendment request involves no significant hazards consideration.

Attorney for licensee: J. Bradley Fewell, Vice President and Deputy General Counsel, Exelon Generation Company, LLC, 200 Exelon Way, Kennett Square, PA 19348.

NRC Branch Chief: James G. Danna.

**Order Imposing Procedures for Access to Sensitive Unclassified Non-Safeguards  
Information for Contention Preparation. Peach Bottom Atomic Power Station,  
Unit Nos. 2 and 3, York County, Pennsylvania**

A. This Order contains instructions regarding how potential parties to this proceeding may request access to documents containing Sensitive Unclassified Non-Safeguards Information (SUNSI).

B. Within 10 days after publication of this notice of hearing and opportunity to petition for leave to intervene, any potential party who believes access to SUNSI is necessary to respond to this notice may request access to SUNSI. A "potential party" is any person who intends to participate as a party by demonstrating standing and filing an admissible contention under 10 CFR 2.309. Requests for access to SUNSI submitted later than 10 days after publication of this notice will not be considered absent a showing of good cause for the late filing, addressing why the request could not have been filed earlier.

C. The requester shall submit a letter requesting permission to access SUNSI to the Office of the Secretary, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, Attention: Rulemakings and Adjudications Staff, and provide a copy to the Deputy General Counsel for Hearings and Administration, Office of the General Counsel, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001. The expedited delivery or courier mail address for both offices is: U.S. Nuclear Regulatory Commission, 11555 Rockville Pike, Rockville, Maryland 20852. The e-mail address for the Office of the Secretary and the Office of the General Counsel are [Hearing.Docket@nrc.gov](mailto:Hearing.Docket@nrc.gov) and [RidsOgcMailCenter.Resource@nrc.gov](mailto:RidsOgcMailCenter.Resource@nrc.gov), respectively.<sup>1</sup>

The request must include the following information:

(1) A description of the licensing action with a citation to this *Federal Register* notice;

(2) The name and address of the potential party and a description of the potential party's particularized interest that could be harmed by the action identified in C.(1); and

(3) The identity of the individual or entity requesting access to SUNSI and the requester's basis for the need for the information in order to meaningfully participate in this adjudicatory proceeding. In particular, the request must explain why publicly available versions of the information requested would not be sufficient to provide the basis and specificity for a proffered contention.

D. Based on an evaluation of the information submitted under paragraph C.(3) the NRC staff will determine within 10 days of receipt of the request whether:

---

<sup>1</sup> While a request for hearing or petition to intervene in this proceeding must comply with the filing requirements of the NRC's "E-Filing Rule," the initial request to access SUNSI under these procedures should be submitted as described in this paragraph.

(1) There is a reasonable basis to believe the petitioner is likely to establish standing to participate in this NRC proceeding; and

(2) The requestor has established a legitimate need for access to SUNSI.

E. If the NRC staff determines that the requestor satisfies both D.(1) and D.(2) above, the NRC staff will notify the requestor in writing that access to SUNSI has been granted. The written notification will contain instructions on how the requestor may obtain copies of the requested documents, and any other conditions that may apply to access to those documents. These conditions may include, but are not limited to, the signing of a Non-Disclosure Agreement or Affidavit, or Protective Order<sup>2</sup> setting forth terms and conditions to prevent the unauthorized or inadvertent disclosure of SUNSI by each individual who will be granted access to SUNSI.

F. Filing of Contentions. Any contentions in these proceedings that are based upon the information received as a result of the request made for SUNSI must be filed by the requestor no later than 25 days after receipt of (or access to) that information. However, if more than 25 days remain between the petitioner's receipt of (or access to) the information and the deadline for filing all other contentions (as established in the notice of hearing or opportunity for hearing), the petitioner may file its SUNSI contentions by that later deadline.

G. Review of Denials of Access.

(1) If the request for access to SUNSI is denied by the NRC staff after a determination on standing and requisite need, the NRC staff shall immediately notify the requestor in writing, briefly stating the reason or reasons for the denial.

---

<sup>2</sup> Any motion for Protective Order or draft Non-Disclosure Affidavit or Agreement for SUNSI must be filed with the presiding officer or the Chief Administrative Judge if the presiding officer has not yet been designated, within 30 days of the deadline for the receipt of the written access request.

(2) The requester may challenge the NRC staff's adverse determination by filing a challenge within 5 days of receipt of that determination with: (a) the presiding officer designated in this proceeding; (b) if no presiding officer has been appointed, the Chief Administrative Judge, or if he or she is unavailable, another administrative judge, or an Administrative Law Judge with jurisdiction pursuant to 10 CFR 2.318(a); or (c) if another officer has been designated to rule on information access issues, with that officer.

(3) Further appeals of decisions under this paragraph must be made pursuant to 10 CFR 2.311.

H. Review of Grants of Access. A party other than the requester may challenge an NRC staff determination granting access to SUNSI whose release would harm that party's interest independent of the proceeding. Such a challenge must be filed within 5 days of the notification by the NRC staff of its grant of access and must be filed with: (a) the presiding officer designated in this proceeding; (b) if no presiding officer has been appointed, the Chief Administrative Judge, or if he or she is unavailable, another administrative judge, or an Administrative Law Judge with jurisdiction pursuant to 10 CFR 2.318(a); or (c) if another officer has been designated to rule on information access issues, with that officer.

If challenges to the NRC staff determinations are filed, these procedures give way to the normal process for litigating disputes concerning access to information. The availability of interlocutory review by the Commission of orders ruling on such NRC staff determinations (whether granting or denying access) is governed by 10 CFR 2.311.<sup>3</sup>

---

<sup>3</sup> Requesters should note that the filing requirements of the NRC's E-Filing Rule (72 FR 49139; August 28, 2007, as amended at 77 FR 46562; August 3, 2012) apply to appeals of NRC staff determinations (because they must be served on a presiding officer or the Commission, as applicable), but not to the initial SUNSI request submitted to the NRC staff under these procedures.

I. The Commission expects that the NRC staff and presiding officers (and any other reviewing officers) will consider and resolve requests for access to SUNSI, and motions for protective orders, in a timely fashion in order to minimize any unnecessary delays in identifying those petitioners who have standing and who have propounded contentions meeting the specificity and basis requirements in 10 CFR part 2. The attachment to this Order summarizes the general target schedule for processing and resolving requests under these procedures.

IT IS SO ORDERED.

Dated at Rockville, Maryland, this 11th day of October, 2018.

For the Nuclear Regulatory Commission.

**Annette L. Vietti-Cook,**  
*Secretary of the Commission.*

**ATTACHMENT 1--General Target Schedule for Processing and Resolving Requests for Access to Sensitive Unclassified Non-Safeguards Information in this Proceeding**

<b>Day</b>	<b>Event/Activity</b>
0	Publication of <i>Federal Register</i> notice of hearing and opportunity to petition for leave to intervene, including order with instructions for access requests.
10	Deadline for submitting requests for access to Sensitive Unclassified Non-Safeguards Information (SUNSI) with information: supporting the standing of a potential party identified by name and address; describing the need for the information in order for the potential party to participate meaningfully in an adjudicatory proceeding.
60	Deadline for submitting petition for intervention containing: (i) demonstration of standing; and (ii) all contentions whose formulation does not require access to SUNSI (+25 Answers to petition for intervention; +7 petitioner/requestor reply).
20	U.S. Nuclear Regulatory Commission (NRC) staff informs the requester of the staff's determination whether the request for access provides a reasonable basis to believe standing can be established and shows need for SUNSI. (NRC staff also informs any party to the proceeding whose interest independent of the proceeding would be harmed by the release of the information.) If NRC staff makes the finding of need for SUNSI and likelihood of standing, NRC staff begins document processing (preparation of redactions or review of redacted documents).
25	If NRC staff finds no "need" or no likelihood of standing, the deadline for petitioner/requester to file a motion seeking a ruling to reverse the NRC staff's denial of access; NRC staff files copy of access determination with the presiding officer (or Chief Administrative Judge or other designated officer, as appropriate). If NRC staff finds "need" for SUNSI, the deadline for any party to the proceeding whose interest independent of the proceeding would be harmed by the release of the information to file a motion seeking a ruling to reverse the NRC staff's grant of access.
30	Deadline for NRC staff reply to motions to reverse NRC staff determination(s).
40	(Receipt +30) If NRC staff finds standing and need for SUNSI, deadline for NRC staff to complete information processing and file motion for Protective Order and draft Non-Disclosure Affidavit. Deadline for applicant/licensee to file Non-Disclosure Agreement for SUNSI.
A	If access granted: issuance of presiding officer or other designated officer decision on motion for protective order for access to sensitive information



<b>Day</b>	<b>Event/Activity</b>
	(including schedule for providing access and submission of contentions) or decision reversing a final adverse determination by the NRC staff.
A + 3	Deadline for filing executed Non-Disclosure Affidavits. Access provided to SUNSI consistent with decision issuing the protective order.
A + 28	Deadline for submission of contentions whose development depends upon access to SUNSI. However, if more than 25 days remain between the petitioner's receipt of (or access to) the information and the deadline for filing all other contentions (as established in the notice of opportunity to request a hearing and petition for leave to intervene), the petitioner may file its SUNSI contentions by that later deadline.
A + 53	(Contention receipt +25) Answers to contentions whose development depends upon access to SUNSI.
A + 60	(Answer receipt +7) Petitioner/Intervenor reply to answers.
>A + 60	Decision on contention admission.

[FR Doc. 2018-22576 Filed: 11/5/2018 8:45 am; Publication Date: 11/6/2018]